SAFETY DATA SHEET

Issue Date 22-Mar-2015 Revision Date 22-Mar-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Dry Bleach

Other means of identification

SDS# JC-006-005 Synonyms None

Details of the supplier of the safety data sheet

Company Name Arkansas Correction Industries/Janitorial Products

ADC/Delta Unit 880 E. Gaines Dermott, AR 71638 870-538-2086

Emergency telephone number

Emergency Telephone Infortrac 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Causes serious eye irritation May cause respiratory irritation Very toxic to aquatic life with long lasting effects



Appearance Free flowing powder. Physical state Powder Odor Lemon

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Avoid release to the environment

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

1.9842% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Dichloroisocyanurate, Dihydrate	51580-86-0	10-30	*
Sodium Carbonate	497-19-8	10-30	*
Paraffin Waxes and hydrocarbon waxes,	63449-39-8	.1-1	*
chlorinated			

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Skin ContactConsult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. If skin irritation persists, call a physician.

Immediate medical attention is not required.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Inhalation Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Artificial respiration and/or oxygen may be necessary. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If

symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything

by mouth to an unconscious person. Call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Keep

people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Cover liquid spill with sand, earth or

other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to

minimize spreading. Soak up with inert absorbent material. Dam up.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly

labeled containers.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionNo special technical protective measures are necessary. Wear protective gloves and

protective clothing. Prolonged contact may cause redness and irritation. Wear protective

gloves and protective clothing if needed.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Powder

Appearance Free flowing powder.

ColorWhiteOdorLemon

Odor threshold No Information available

Property Values Remarks • Method

pH Not an Aqueous Solution

Specific Gravity 1.076

Viscosity No Information available Not

Applicable

No Information available

Melting point/freezing point

Flash point

Boiling point / boiling range

Evaporation rate

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: Lower flammability limit: Vapor pressure No Information available

No Information available

No Information available

No Information available

No Information available
No Information available

Vapor density No Information available

Water solubility Soluble in water

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

Other Information

Density Lbs/Gal 8.97

VOC Content (%) Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No data available. Avoid inhalation of dust. May cause irritation of respiratory tract.

Eye contact No data available. Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact No data available. Avoid contact with skin. Prolonged or repeated contact may dry skin and

cause irritation.

Ingestion No data available. May be harmful if swallowed. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m ³ (Rat) 2 h
Paraffin Waxes and hydrocarbon waxes, chlorinated 63449-39-8	= 26100 mg/kg (Rat)	> 10 mL/kg (Rabbit)	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Paraffin Waxes and	_	Group 2B	_	X
hydrocarbon waxes,				
chlorinated				
63449-39-8				

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
Aspiration hazard
No Information available.
No Information available.
Avoid repeated exposure.
No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.9842% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.9842% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Sulfate	_	13500 - 14500: 96 h Pimephales	2564: 48 h Daphnia magna mg/L
7757-82-6		promelas mg/L LC50 6800: 96 h	EC50 630: 96 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50
		static 3040 - 4380: 96 h Lepomis	
		macrochirus mg/L LC50 static	
		13500: 96 h Lepomis macrochirus	
		mg/L LC50	
Sodium Carbonate	242: 120 h Nitzschia mg/L EC50	310 - 1220: 96 h Pimephales	265: 48 h Daphnia magna mg/L
497-19-8		promelas mg/L LC50 static 300: 96	EC50
		h Lepomis macrochirus mg/L LC50	
		static	
Paraffin Waxes and hydrocarbon	_	300: 96 h Lepomis macrochirus	102: 24 h Daphnia magna mg/L
waxes, chlorinated		mg/L LC50 static 0.0109: 96 h	EC50
63449-39-8		Oncorhynchus mykiss mg/L LC50	
		flow-through 94.5 - 271: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 0.1: 96 h Lepomis	
		macrochirus mg/L LC50 flow-	
		through 100: 96 h Pimephales	
		promelas mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient	
Paraffin Waxes and hydrocarbon waxes, chlorinated 63449-39-8	6	

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS	

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Carbonate	Corrosive
497-19-8	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Paraffin Waxes and hydrocarbon waxes, chlorinated - 63449-39-8	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Sulfate 7757-82-6	_	X	X
Sodium Dichloroisocyanurate, Dihydrate 51580-86-0	_	Х	X
Paraffin Waxes and hydrocarbon waxes, chlorinated 63449-39-8	_	Х	_

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPAHealth hazards1Flammability0Instability0Physical and Chemical PropertiesHMISHealth hazards1Flammability0Physical hazards0Personal protectionB

Issue Date22-Mar-2015Revision Date22-Mar-2015

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet